

| | | | | |
|------------------|-------|-----------------------|--------------------|------------------------|
| REF 505-2 | 6x3mL | EXP 2025-04-19 | LOT 302E7F9 | 更新日期： 2021-10 1 / 2 |
|------------------|-------|-----------------------|--------------------|------------------------|

| 批号：302E7F9 | | | | |
|---|--------|-------|-------------|--|
| 项目\仪器\试剂\方法 | 单位 | 均值 | + / - 2 SD | |
| (CK-MB)肌酸激酶-MB (活性) | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | ng/mL | 28.8 | 23-34.6 | |
| (Cortisol)皮质醇 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | ng/mL | 206 | 168-244 | |
| (C-P)C-肽 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | ng/mL | 3.62 | 0-9.42 | |
| (CRP)C反应蛋白 | | | | |
| Beckman AU series Wako \ Immunonephelometry (INA) | mg/dL | 0.386 | 0.328-0.444 | |
| (E2)雌二醇 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | pmol/L | 814 | 680-948 | |
| (FA)叶酸 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | ng/mL | 5.48 | 4.51-6.45 | |
| (FSH)促卵泡刺激素 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | IU/L | 26.4 | 21-31.8 | |
| (FT3)游离T3 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | pmol/L | 11.9 | 9.7-14.1 | |
| (FT4)游离T4 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | pmol/L | 26.6 | 21.4-31.8 | |
| (INS)胰岛素 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | mIU/L | 62.5 | 50.7-74.3 | |
| (LH)促黄体生成素 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | IU/L | 26.6 | 21.8-31.4 | |
| (Myo / Mb)肌红蛋白 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | µg/L | 219 | 171-267 | |
| (PRL)催/ 泌乳素 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | ng/mL | 24.9 | 20.4-29.4 | |
| (PROG)孕酮 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | ng/mL | 13.9 | 11.3-16.5 | |
| (TES)睾酮 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | ng/mL | 4.7 | 3.89-5.51 | |
| (TnI)肌钙蛋白I | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | ng/mL | 2.74 | 2.16-3.32 | |
| (TSH)促甲状腺素 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | mIU/L | 5.84 | 4.86-6.82 | |
| (TT3)总三碘甲状腺原氨酸 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | nmol/L | 3.46 | 2.88-4.04 | |
| (TT4)总T4 | | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | nmol/L | 141 | 115-167 | |

| | | | | |
|------------------|-------|-----------------------|--------------------|------------------------|
| REF 505-2 | 6x3mL | EXP 2025-04-19 | LOT 302E7F9 | 更新日期： 2021-10 2 / 2 |
|------------------|-------|-----------------------|--------------------|------------------------|

| 批号：302E7F9 | | | |
|--|-------|-----|------------|
| 项目\仪器\试剂\方法 | 单位 | 均值 | + / - 2 SD |
| (VB12)维生素B12 | | | |
| Tosoh AIA 1800 Dedicated \ Chemiluminescence Immunoassay (CLIA) | pg/mL | 581 | 467-695 |

注：此报告所提供的数据均基于检测相同批号质控品的若干实验室的数据汇总统计而来，仅供学习、参考之用。因所用技术、仪器和试剂的不同，或因制造商检测方法的改变，均可导致实验室实际测得的数据偏离此报告所提供的数据。根据良好实验室规范的要求，实验室须遵循相关技术规范确立自己的均值和可接受范围。