

REF	662-3	6×4.5mL	EXP	2023-09-17	LOT	3F29FF2	更新日期：	2024-05
1 / 4								

		批号：3F29FF2			
项目\仪器\试剂\方法	单位	均值 \ CV		Lab \ 点数	
(BASO #)嗜碱性粒细胞 #					
Mindray BC-7500 Mindray \ Flow cytometry	Giga/L (1E+9/L)	0.457	5.5%	<5	<100
(BASO %)嗜碱性粒细胞 %					
Sysmex XN series sysmex \ Flow cytometry	%	4.94	1.1%	<5	<100
Mindray BC-7500 Mindray \ Flow cytometry	%	2.13	5.8%	<5	<100
Sysmex XN series Dedicated \ Flow cytometry	%	1.3	13.3%	<5	<100
Sysmex XE series sysmex \ Calculate	%	50	20%	<5	<100
Sysmex XT series sysmex \ Calculate	%	50	25%	<5	<100
(EOS #)嗜酸性粒细胞 #					
Sysmex XN series sysmex \ Flow cytometry	Giga/L (1E+9/L)	3.15	6.8%	10	280
Mindray BC-7500 Mindray \ Flow cytometry	Giga/L (1E+9/L)	3.38	2.2%	<5	<100
(EOS %)嗜酸性粒细胞 %					
Sysmex XN series sysmex \ Calculate	%	14.3	4%	<5	<100
Sysmex XN series sysmex \ Flow cytometry	%	14.2	2.4%	<5	<100
Sysmex XN series Dedicated \ Flow cytometry	%	14.7	2.6%	<5	<100
Mindray BC-7500 Mindray \ Flow cytometry	%	15.6	1.7%	<5	<100
(HCT)血细胞比容/压积					
Sysmex XN series sysmex \ OTHER	%	54.1	2.4%	9	222
Sysmex XN series sysmex \ Calculate	%	53.1	4.2%	8	143
Sysmex XN series sysmex \ Electrical impedance	%	54.6	1.1%	5	<100
Sysmex XN series Dedicated \ Calculate	%	53	2.1%	<5	<100
Mindray BC-7500 Mindray \ Electrical impedance	%	59	1.5%	<5	<100
Mindray BC-5100/BC-5300 Series Mindray \ Electrical impedance	%	53	2.1%	<5	<100
Sysmex XN series Dedicated \ OTHER	%	53.2	1.9%	<5	<100
Mindray BC-6000 serices Dedicated \ Electrical impedance	%	57.1	1.8%	22	766
Mindray BC-5600/BC-5800 Mindray \ Calculate	%	57.9	1.6%	<5	<100
Sysmex XN series sysmex \ Flow cytometry	%	54	1.7%	12	369
Sysmex XE series sysmex \ Light scattering	%	52.7	9.9%	<5	<100
Mindray BC-6000 serices Mindray \ Light scattering	%	51.6	10.1%	<5	<100
Sysmex XT series sysmex \ Light scattering	%	51.8	10%	<5	<100
Mindray BC-7500 Mindray \ Calculate	%	57.2	0.6%	<5	<100
Sysmex XN series sysmex \ Light scattering	%	51.9	10%	<5	<100
Sysmex XS series sysmex \ Light scattering	%	52.3	9.9%	<5	<100
Sysmex XS series sysmex \ Electrical impedance	%	61.2	1.2%	<5	<100
Sysmex XS series sysmex \ Calculate	%	54.7	1%	<5	<100
(HGB/ Hb)血红蛋白					
Sysmex XN series Dedicated \ Colorimetry	g/L	175	1.1%	6	<100
Mindray BC-6000 serices Dedicated \ Electrical impedance	g/L	180	0.7%	<5	165
Sysmex XN series sysmex \ Electrical impedance	g/L	179	1.2%	<5	<100
Sysmex XN series sysmex \ Colorimetry	g/L	178	2.9%	22	574
Mindray BC-5600/BC-5800 Mindray \ Colorimetry	g/L	186	0.7%	<5	<100
Mindray BC-6000 serices Dedicated \ Colorimetry	g/L	177	0.7%	18	603
Sysmex XN series sysmex \ OTHER	g/L	180	1.7%	12	244
Sysmex XE series sysmex \ Light scattering	g/L	168	10.1%	<5	<100
Mindray BC-7500 Mindray \ Colorimetry	g/L	180	0.8%	<5	<100
Sysmex XT series sysmex \ Light scattering	g/L	173	9.8%	<5	<100
Mindray BC-6000 serices Mindray \ Colorimetry	g/L	171	9.4%	<5	<100

REF	662-3	6×4.5mL	EXP	2023-09-17	LOT	3F29FF2	更新日期：	2024-05
2 / 4								

		批号: 3F29FF2			
项目\仪器\试剂\方法	单位	均值 \ CV		Lab \ 点数	
Sysmex XN series sysmex \ Light scattering	g/L	169	9.5%	<5	<100
Sysmex XS series sysmex \ Light scattering	g/L	167	10.2%	<5	<100
Sysmex XS series sysmex \ Electrical impedance	g/L	191	0.7%	<5	<100
(LYM #)淋巴细胞 #					
Sysmex XN series sysmex \ Flow cytometry	Giga/L (1E+9/L)	4.63	11.9%	10	185
Mindray BC-7500 Mindray \ Flow cytometry	Giga/L (1E+9/L)	4.67	2.7%	<5	<100
(LYM %)淋巴细胞 %					
Sysmex XN series sysmex \ Calculate	%	23.9	5.5%	<5	<100
Sysmex XN series sysmex \ Flow cytometry	%	23.8	2.1%	<5	<100
Sysmex XN series Dedicated \ Flow cytometry	%	19.3	9.1%	<5	<100
Mindray BC-7500 Mindray \ Flow cytometry	%	21.6	2.5%	<5	<100
Sysmex XS series sysmex \ Calculate	%	20	25%	<5	<100
Sysmex XE series sysmex \ Calculate	%	20	25%	<5	<100
Mindray BC-6000 series Mindray \ Flow cytometry	%	20	25%	<5	<100
(MCH)平均红细胞血红蛋白含量					
Sysmex XN series sysmex \ Calculate	pg	31.2	1.4%	31	800
Sysmex XN series sysmex \ Electrical impedance	pg	30.7	1.1%	<5	<100
Sysmex XN series Dedicated \ Calculate	pg	31	0.7%	<5	<100
Mindray BC-5600/BC-5800 Mindray \ Calculate	pg	31.5	1.4%	<5	<100
Mindray BC-6000 series Dedicated \ Electrical impedance	pg	30.9	0.9%	18	602
Mindray BC-7500 Mindray \ Electrical impedance	pg	31	0.6%	<5	<100
Sysmex XS series sysmex \ Light scattering	pg	32.4	9.9%	<5	<100
Sysmex XE series sysmex \ Light scattering	pg	32.4	9.6%	<5	<100
Mindray BC-6000 series Mindray \ Light scattering	pg	32.2	9.9%	<5	<100
Sysmex XT series sysmex \ Light scattering	pg	32.5	9.8%	<5	<100
Sysmex XN series sysmex \ Light scattering	pg	32.3	9.9%	<5	<100
Sysmex XS series sysmex \ Electrical impedance	pg	31.6	0.7%	<5	<100
(MCHC)平均红细胞血红蛋白浓度					
Sysmex XN series sysmex \ Calculate	g/L	332	1.9%	31	761
Sysmex XN series sysmex \ Electrical impedance	g/L	330	1.1%	<5	<100
Sysmex XN series Dedicated \ Calculate	g/L	334	1.6%	<5	<100
Mindray BC-5600/BC-5800 Mindray \ Calculate	g/L	326	6.8%	<5	<100
Mindray BC-6000 series Dedicated \ Electrical impedance	g/L	311	1.5%	18	599
Mindray BC-7500 Mindray \ Calculate	g/L	314	0.4%	<5	<100
Sysmex XS series sysmex \ Light scattering	g/L	337	9.5%	<5	<100
Sysmex XT series sysmex \ Light scattering	g/L	335	9.6%	<5	<100
Sysmex XE series sysmex \ Light scattering	g/L	332	9.6%	<5	<100
Mindray BC-6000 series Mindray \ Light scattering	g/L	328	9.8%	<5	<100
Sysmex XN series sysmex \ Light scattering	g/L	326	10.1%	<5	<100
Sysmex XS series sysmex \ Electrical impedance	g/L	312	1.3%	<5	<100
(MCV)平均红细胞体积					
Sysmex XN series sysmex \ Electrical impedance	fL	93.7	1.4%	5	<100
Mindray BC-7500 Mindray \ Electrical impedance	fL	102	0.8%	<5	<100
Mindray BC-5100/BC-5300 Series Mindray \ Electrical impedance	fL	94.9	1.1%	<5	<100
Sysmex XN series Dedicated \ Calculate	fL	92.8	1.1%	<5	<100
Sysmex XN series sysmex \ Calculate	fL	93.9	2.4%	27	631
Mindray BC-6000 series Dedicated \ Electrical impedance	fL	99.7	1.8%	22	767

质控品名： 血液学五分类X非定值质控品

REF	662-3	6×4.5mL	EXP	2023-09-17	LOT	3F29FF2	更新日期：	2024-05
3 / 4								

		批号： 3F29FF2			
项目\仪器\试剂\方法	单位	均值 \ CV		Lab \ 点数	
Mindray BC-5600/BC-5800	fL	98.2	0.8%	<5	<100
Mindray \ Calculate					
Sysmex XN series	fL	93	9.7%	<5	<100
sysmex \ Light scattering					
Mindray BC-7500	fL	98.9	0.6%	<5	<100
Mindray \ Calculate					
Sysmex XS series	fL	94	9.6%	<5	<100
sysmex \ Light scattering					
Sysmex XT series	fL	92	9.8%	<5	<100
sysmex \ Light scattering					
Mindray BC-6000 series	fL	92	9.8%	<5	<100
Mindray \ Light scattering					
Sysmex XE series	fL	94	9.6%	<5	<100
sysmex \ Light scattering					
Sysmex XS series	fL	101	1%	<5	<100
sysmex \ Electrical impedance					
Sysmex XS series	fL	92.2	0.6%	<5	<100
sysmex \ Calculate					
(MONO #)单核细胞 #					
Sysmex XN series	Giga/L (1E+9/L)	0.337	19.5%	9	220
sysmex \ Flow cytometry					
Mindray BC-7500	Giga/L (1E+9/L)	0.598	16.4%	<5	<100
Mindray \ Flow cytometry					
(MONO %)单核细胞 %					
Sysmex XN series	%	1.68	6%	<5	<100
sysmex \ Flow cytometry					
Sysmex XN series	%	1.7	8.4%	<5	<100
sysmex \ Calculate					
Sysmex XN series	%	4.8	14.2%	<5	<100
Dedicated \ Flow cytometry					
Mindray BC-7500	%	2.75	16.4%	<5	<100
Mindray \ Flow cytometry					
(NEUT #)嗜中性粒细胞 #					
Sysmex XN series	Giga/L (1E+9/L)	12.6	4.1%	9	274
sysmex \ Flow cytometry					
Mindray BC-7500	Giga/L (1E+9/L)	12.5	1.1%	<5	<100
Mindray \ Flow cytometry					
(NEUT %)嗜中性粒细胞 %					
Sysmex XN series	%	57	11.8%	5	<100
sysmex \ Calculate					
Sysmex XN series	%	55.4	1%	<5	<100
sysmex \ Flow cytometry					
Sysmex XN series	%	60.4	1.5%	<5	<100
Dedicated \ Flow cytometry					
Sysmex XS series	%	60	16.7%	<5	<100
sysmex \ Calculate					
Sysmex XT series	%	55	18.2%	<5	<100
sysmex \ Calculate					
Mindray BC-6000 series	%	55	18.2%	<5	<100
Mindray \ Flow cytometry					
Sysmex XE series	%	55	18.2%	<5	<100
sysmex \ Calculate					
Mindray BC-7500	%	58.1	0.8%	<5	<100
Mindray \ Flow cytometry					
(PLT)血小板					
Sysmex XN series	Giga/L (1E+9/L)	382	6%	8	198
sysmex \ OTHER					
Sysmex XN series	Giga/L (1E+9/L)	392	3.6%	6	<100
Dedicated \ Electrical impedance					
Mindray BC-5100/BC-5300 Series	Giga/L (1E+9/L)	318	32.2%	5	<100
Mindray \ Electrical impedance					
Sysmex XS series	Giga/L (1E+9/L)	423	10.5%	<5	<100
sysmex \ Electrical impedance					
Mindray BC-7500	Giga/L (1E+9/L)	423	5%	<5	<100
Mindray \ Electrical impedance					
Sysmex XN series	Giga/L (1E+9/L)	414	9.9%	29	684
sysmex \ Electrical impedance					
Mindray BC-6000 series	Giga/L (1E+9/L)	428	5.4%	22	764
Dedicated \ Electrical impedance					
Mindray BC-5600/BC-5800	Giga/L (1E+9/L)	431	4.8%	<5	<100
Mindray \ Electrical impedance					
Sysmex XN series	Giga/L (1E+9/L)	455	9.9%	<5	<100
sysmex \ Light scattering					
Sysmex XE series	Giga/L (1E+9/L)	460	10.9%	<5	<100
sysmex \ Electrical impedance					
Mindray BC-6000 series	Giga/L (1E+9/L)	450	10%	<5	<100
Mindray \ Electrical impedance					
Mindray BC-7500	Giga/L (1E+9/L)	411	2%	<5	<100
Mindray \ Flow cytometry					
Sysmex XT series	Giga/L (1E+9/L)	450	10%	<5	<100
sysmex \ Light scattering					
(RBC)红细胞					
Sysmex XN series	T/L (1E+12/L)	5.73	1.6%	8	167
sysmex \ OTHER					
Sysmex XN series	T/L (1E+12/L)	5.67	1.4%	6	<100
Dedicated \ Electrical impedance					
Mindray BC-6000 series	T/L (1E+12/L)	5.73	1.2%	22	771
Dedicated \ Electrical impedance					

质控品名： 血液学五分类X非定值质控品

REF	662-3	6×4.5mL	EXP	2023-09-17	LOT	3F29FF2	更新日期：	2024-05
								4 / 4

		批号：3F29FF2			
项目\仪器\试剂\方法	单位	均值 \ CV		Lab \ 点数	
Mindray BC-5600/BC-5800	T/L (1E+12/L)	5.9	1.3%	<5	<100
Mindray \ Electrical impedance					
Sysmex XN series	T/L (1E+12/L)	5.75	1.8%	17	493
sysmex \ Flow cytometry					
Sysmex XN series	T/L (1E+12/L)	5.75	3.5%	12	202
sysmex \ Electrical impedance					
Mindray BC-7500	T/L (1E+12/L)	5.79	0.7%	<5	<100
Mindray \ Flow cytometry					
Sysmex XE series	T/L (1E+12/L)	5.68	9.9%	<5	<100
sysmex \ Light scattering					
Mindray BC-6000 series	T/L (1E+12/L)	5.67	10.1%	<5	<100
Mindray \ Electrical impedance					
Sysmex XT series	T/L (1E+12/L)	5.71	9.1%	<5	<100
sysmex \ Light scattering					
Sysmex XN series	T/L (1E+12/L)	5.68	10%	<5	<100
sysmex \ Light scattering					
Sysmex XS series	T/L (1E+12/L)	5.69	9.8%	<5	<100
sysmex \ Light scattering					
Sysmex XS series	T/L (1E+12/L)	6.05	0.9%	<5	<100
sysmex \ Electrical impedance					
(WBC)白细胞					
Sysmex XN series	Giga/L (1E+9/L)	21.1	9.3%	8	150
sysmex \ Electrical impedance					
Sysmex XN series	Giga/L (1E+9/L)	21.9	1.6%	6	<100
Dedicated \ Flow cytometry					
Sysmex XN series	Giga/L (1E+9/L)	20.7	9.2%	27	760
sysmex \ Flow cytometry					
Mindray BC-6000 series	Giga/L (1E+9/L)	20.5	2.3%	22	767
Dedicated \ Electrical impedance					
Mindray BC-5600/BC-5800	Giga/L (1E+9/L)	21.6	2.9%	<5	<100
Mindray \ Electrical impedance					
Sysmex XN series	Giga/L (1E+9/L)	22.1	1.7%	<5	<100
sysmex \ OTHER					
Sysmex XS series	Giga/L (1E+9/L)	18.3	9.8%	<5	<100
sysmex \ Light scattering					
Sysmex XT series	Giga/L (1E+9/L)	18.4	9.8%	<5	<100
sysmex \ Light scattering					
Sysmex XE series	Giga/L (1E+9/L)	18.7	9.6%	<5	<100
sysmex \ Light scattering					
Mindray BC-6000 series	Giga/L (1E+9/L)	18.3	9.8%	<5	<100
Mindray \ Electrical impedance					
Sysmex XN series	Giga/L (1E+9/L)	18.6	9.7%	<5	<100
sysmex \ Light scattering					
Mindray BC-7500	Giga/L (1E+9/L)	21.6	0.5%	<5	<100
Mindray \ Flow cytometry					
Sysmex XS series	Giga/L (1E+9/L)	23.8	1.2%	<5	<100
sysmex \ Electrical impedance					

注：此报告所提供的数据均基于检测相同批号质控品的若干实验室的数据汇总统计而来，仅供学习、参考之用。因所用技术、仪器和试剂的不同，或因制造商检测方法的改变，均可导致实验室实际测得的数据偏离此报告所提供的数据。根据良好实验室规范的要求，实验室须遵循相关技术规范确立自己的均值和可接受范围。